



Multifunktionales 15" / 1" System mit sehr breitbandigem Frequenzumfang und ausgewogener Klangcharakteristik. Ähnliche Eigenschaften wie die A 6, jedoch mit tiefreichender Basswiedergabe, machen die A 8 zu einem universellem Fullrangewerkzeug. Diverse M8 und M10 Aufnahmepunkte sorgen für die einfache Montage des Zubehörs. Auch als Festinstallationsvariante lieferbar.

PRODUCT SPECIFICATIONS


Speaker Components	15" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	500 W / 1500 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	99 dB / 131 dB
Usable Range	50 Hz - 20 kHz (-10 dB)
Tuning Frequency Excursion minimum	50 Hz
X - Overpoint acoustical	1,3 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Connectors	2 x Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	2 x
Rigging / Fittings	2 x M10 / 7 x M8 35 mm pole mount
Weight	23,5 kg
Size height x width x depth	69,8 x 45,0 x 42,5 cm
Order No.	00270/II 00270/AF/II (installation version)




Die 35 mm Flanschhülse wurde in den Griff integriert.



DIMENSIONS




Installation Version AF 8



Controller Setups:


<https://www.seeburg.com/de/downloads>

Sensitivity 1 W @ 1 m + Impedance




COVERAGE PATTERNS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical




Flying Bracket



for A 8 / TSM 15 / F 8,
(incl. black version: 2 x adjustable
handle screws M10 x 20 mm,
white version: 2 x socket head screws
M10 x 20 mm)

Order No. **01217/set/w** (RAL 9010)
Order No. **01217/set**

Flying Bracket



for A 8,
horizontal alignment,
incl. accessories

Order No. **01217/H/set/w** (RAL 9010)
Order No. **01217/H/set**

Handle Screw



for flying brackets,
adjustable
M10 x 20 mm

Order No. **08375/20**

Rubber Washer



for flying brackets,
5 mm x 40 mm Ø

Order No. **01206**

Knurled Head Nut



reduction screw for fastening
M10 Pole Mount Adapter (08126)

Order No. **73755**

Pole Mount Adapter



35 mm Ø → M10 x 16 mm,
M8 x 20 star knob screw

Order No. **08126**

35 mm Ø → M10 x 16 mm

Order No. **08126/II**

Steel Safety



8 mm x 600 mm,
quick connector undetachably,
max. load 40 kg (BGI 810-3)

Order No. **01376/8**

Quick Trigger Clamp



max. load 100 kg

Order No. **01223/100 kg**

Ring Screw



M10– DIN 580

Order No. **73700** (zincplated)

Order No. **73700/sw** (black zincplated)

TV Spigot



M10 internal thread,
28 mm Ø

Order No. **08128**

Chain Fastener



VBS 7 mm

Order No. **01378**

ACCESSORIES A 8

Wall Mount



bar: 269 mm, (incl. socket head screw M10 x 70 mm, M10 hex lock nut and flat washer), max. load 40 kg

Order No. **08130/F/269/w** (RAL 9010)
Order No. **08130/F/269**

Wall Mount




with tilt unit, max. load 40 kg
Order No. **08130**

Speaker Stand



K&M, incl. wind up, height 138,5 to 218 cm, max. load 50 kg,
Order No. **03011**

Honeycomb Grilles




for A 8 front replacement.

Foam behind grille

Order No. **97012/hex/compl**

Order No. **97012/hex/compl/w**
(RAL 9010)



Foam in front of grille

Order No. **97012/compl**

Order No. **97012/compl/w**
(RAL 9010)

Cover



for A 8 / TSM 15, padded

Order No. **01240**


Rain Cover



for A 8 / TSM 15

Order No. **01240/outdoor**

Flight Case



for 2 pcs. TSM 15 / A 8 / A 8 Sub, heavy duty, 9,0 mm birch multiplex, PVC coated, 6 x recessed sprung handles, 4 x butterfly catches, 4 x 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16012/pro**

